

**ORDINANCE PROVIDING FOR THE ASSIGNMENT  
AND AFFIXING OF VISIBLE STREET NUMBERS**

**Adopted: November 9, 1988**

**Effective: December 1, 1988**

**AMENDED 2006**

**Adopted May 31, 2006**

**Effective: June 24, 2006**

**IN PART:**

**SECTION 3**

Numerals used to indicate the street identification number of buildings shall be located on the exterior front of the building which they identify or on a post, sign, mailbox or other device located between the building and the street. Such numerals shall be at least three (3) inches in height and shall be of a color contrasting with the color of the background material to which they are affixed. When affixed, they shall be positioned not less than four (4) feet nor more than twelve (12) feet from the surface of the ground directly below them. The location and size of such numerals shall be enough to assure their legibility when the building which they identify is viewed from one (1) or more points along the centerline of the street on which it fronts between projections of the sides of such building intersecting perpendicularly with such centerline.

If a building is set back more than one hundred (100) feet from the centerline of the street on which it fronts, or if numerals cannot be made legible from such centerline because of obstruction, the foresaid numerals shall be affixed to a post, sign, mailbox or other device which shall be located within ten (10) feet of the driveway entrance to the premises and which shall otherwise conform to the specification herein.

For buildings containing more than three (3) dwelling units which have entrances from interior passageways, numerals shall be affixed within five (5) feet of every door by which the building may be entered. Otherwise the specifications and locations for such numerals shall be as for other buildings.

Residential dwellings that consist of multiple units having different street numbers shall post the range of house numbers per building at a prominent location thereon, consisting of numerals that are no less than six (6) inches in height and of a color contrasting with the color of the background material to which they are affixed, such that the location be visible at least one hundred (100) feet to approaching emergency personnel. In addition, each individual unit shall have at its front and rear entrances a visible number consisting of three-inch numerals in contrast to the background.